



<b>Towing Capacity</b>	<b>12000Kg</b>
<b>Speed</b>	<b>15mph unladen</b>
<b>Turning Circle</b>	<b>7300mm outside to outside</b>
<b>Total Length</b>	<b>2896mm</b>
<b>Total Height</b>	<b>1830mm Including roll bar</b>
<b>Total Width</b>	<b>1370mm</b>
<b>Tyres</b>	<b>23 x 5 x 10 ply Tyrefilled</b>
<b>Brakes</b>	<b>Hydraulically operated servo assisted to all four wheels, Mechanical Park Brake</b>
<b>Speed Controller</b>	<b>Fully electronic, fail-safe operated by foot controller, fitted with speed control for forward / reverse take off speed and maximum speed, the forward / reverse can be set at different speeds, motor braking can be set to suit the site area, all these can be set to suit customers requirements</b>
<b>Display</b>	<b>LCD display showing battery charge level, light functions, direction of travel and indicators</b>
<b>Dash</b>	<b>Fitted with sealed rocker switches for all functions, some function indicators on LCD Display</b>
<b>Indicators</b>	<b>Fitted on steering column, with horn button on the end of indicator stalk.</b>

<b>Brakes</b>	<b>Leaver operated twin rear hydraulic mini disc brakes for greater stopping and automatic magnetic park brake</b>
<b>Motor</b>	<b>32Kw A/C motor</b>
<b>Battery</b>	<b>80 volt at 500Ah</b>
<b>Charger</b>	<b>Free standing fully automatic to suit above battery single or 3 phase.</b>
<b>Seating</b>	<b>Two semi suspension seats fitted on adjustable runners with retractable inertia lap belts.</b>
<b>Towing Coupling</b>	<b>Towing Jaw Fitted</b>
<b>Steering</b>	<b>Hydraulic Power Steering</b>
<b>Flashing Beacon</b>	<b>Fitted to roof with dash switch</b>
<b>Reverse Sound</b>	<b>Multi tone and volume control sounder fitted</b>
<b>Lighting</b>	<b>Full road lighting, Halogen head light with integral side light, Stop/Tail, Indicators, single Reverse and Fog lights using new LED sealed lights</b>
<b>Finish</b>	<b>Painted Yellow or any one colour of your choice.</b>



